

# How to identify an opioid overdose:

## Look for these common signs:

- The person won't wake up even if you shake them or say their name
- Breathing slows or even stops
- Lips and fingernails turn blue or gray
- Skin gets pale, clammy

## In case of overdose:

### 1 Call 911 and give naloxone

If no reaction in 3 minutes, give second naloxone dose

### 2 Do rescue breathing or chest compressions

Follow 911 dispatcher instructions

### 3 After naloxone

Stay with person for at least 3 hours or until help arrives

# NARCAN<sup>®</sup> (naloxone HCl) NASAL SPRAY

## QUICK START GUIDE Opioid Overdose Response Instructions

Use NARCAN Nasal Spray (naloxone hydrochloride) for known or suspected opioid overdose in adults and children.

**Important: For use in the nose only.**

**Do not remove or test the NARCAN Nasal Spray until ready to use.**

### 1 Identify Opioid Overdose and Check for Response

**Ask** person if he or she is okay and shout name.

**Shake** shoulders and firmly rub the middle of their chest.

**Check for signs of opioid overdose:**

- Will not wake up or respond to your voice or touch
  - Breathing is very slow, irregular, or has stopped
  - Center part of their eye is very small, sometimes called "pinpoint pupils"
- Lay the person on their back to receive a dose of NARCAN Nasal Spray.



### 2 Give NARCAN Nasal Spray

**Remove** NARCAN Nasal Spray from the box.

Peel back the tab with the circle to open the NARCAN Nasal Spray.



**Hold** the NARCAN nasal spray with your thumb on the bottom of the plunger and your first and middle fingers on either side of the nozzle.



**Gently insert the tip of the nozzle into either nostril.**

- Tilt the person's head back and provide support under the neck with your hand. Gently insert the tip of the nozzle into **one nostril**, until your fingers on either side of the nozzle are against the bottom of the person's nose.



**Press the plunger firmly** to give the dose of NARCAN Nasal Spray.

- Remove the NARCAN Nasal Spray from the nostril after giving the dose.



**Get emergency medical help right away.**

**Move the person on their side (recovery position)** after giving NARCAN Nasal Spray.

**Watch the person closely.**

**If the person does not respond** by waking up, to voice or touch, or breathing normally another dose may be given. NARCAN Nasal Spray may be dosed every 2 to 3 minutes, if available.

**Repeat Step 2 using a new NARCAN Nasal Spray to give another dose in the other nostril.** If additional NARCAN Nasal Sprays are available, repeat step 2 every 2 to 3 minutes until the person responds or emergency medical help is received.

### 3 Call for emergency medical help, Evaluate, and Support

